



Viking's innovative, user-friendly system increases leisure time. Set up in five minutes and let the good times roll!



The easy-to-use Canimex dual drive/dual purpose winch and drill bit, combined with a cordless drill, raises and lowers the roof in under 30 seconds. A manual override is provided.



The four heavy duty scissor-style stabilizing jacks extend and retract easily using a cordless drill and the Canimex drill bit.



This exclusive "Glide-N-Lock" cable supported bed system eliminates the need for support poles under the beds. Simply pull out the beds until they lock into place and install the tension rafter.



X-Cable technology adds additional stability to the roof and prevents over cranking of the roof.



There's no need to crawl across the beds to install the tension rafters. Viking's exclusive two-piece tension rafter is another example of how Viking makes camping easier.



The E-Z Swing Stepper Door with hydraulic assist, operates in seconds and provides the largest, most stable step platform in the industry.



Viking's one piece entry door has an extra large adjustable privacy panel to let in fresh air and sunlight.



Viking's exclusive J-Track door latch maximizes stability by eliminating the flimsy nylon turn buttons traditionally used in securing the door to the roof.

More Viking Exclusive Features

Four Layer Insulated Roof Braced for Air Conditioning.

A. One Piece Seamless Fiberglass Skin

B. Luan Plywood Underlayment

No one else includes the extra wood layer between the top skin and internal foam that provides stiffness and reduces the probability of damage due to hail, road debris, etc.

C. Foam Insulated Roof Structure

D. Vinyl Coated Ceiling

Easy to clean and minimizes interior condensation

■ Roof vent is placed off to the side so the A/C can be center-mounted without having to remove the vent. This design allows you to have both the vent and A/C.

Wide Trac Suspension

Better safety and stability on the road.

- Widest stance of any folding camper
- Improves towing safety and stability
- Stronger axle beams than most competitors
- Steel frame with powdercoat protection



Roof Side Z-Rail

Channels water away.



- 1. Roof's Outside Skin
- 2. Body's Outside Skin
- 3. Water tight Seal
- 4. Z-Rail channels water away from wood
- Z-Rails on roof perimeter and sidewalls keep wood above water level collection points.
- Others use U channel where wood and water can come in contact at the bottom of the
- Channels are kept open to allow water to run out like a gutter.
- Others attempt to seal channels to keep water out; when the seal is compromised, water will collect and cannot escape.



Viking's Super Sliding Storage box enables full. easy accessibility even when the camper is set up. (Standard on Legend, Optional on V1 and V2).

Check Out Our Easy Set Up Video Here



Viking standard heated mattress

1-1/4" Laminated **Insulated Bunkends**

- Two times thicker than others
- Solid wood, steel reinforced frame, with 1" thick high density foam, and laminated wood panels top and
- More stable bed end vs. chipboard or spliced plywood
- Insulation improves comfort and warmth



Competition



Viking's one-piece, 5/8" floor structure is stronger than the industry's standard 1/2". Automotive undercoating protects from the elements. Congoleum residential grade Diamondflor with 100% adhesion adds beauty and durability indoors.





Retractable clothes bar (Standard on Legend, V-Trec and Hardside models)



Powerful Fantastic power roof vent moves air like no other.



Jensen AM/FM/Bluetooth stereo with App control includes Interior/Exterior speakers (Standard on Legend, V-Trec and Hardside models)



Exterior grill (N/A on LS series)



The Goshen Stamping double-wide lift arm system offers strength, stability and increased wind resistance. (Limited lifetime warranty)



LED bunk end fan lights (N/A Hardside models)

The E-Z one-hand swing level galley gets you cookin' in no time! (Legend and V-Trec models)













Experience a comfortable night's sleep with a Serta memory foam mattress.



The Create a Breeze fan circulates five times more air than a conventional 12 volt fan.




The Dometic Cool Cat 10,150 BTU heat pump is standard on Viking hardside camping trailers.



Double 20# LP Tanks with cover

Viking hardside camping trailers provide more exterior storage space than any other model in its class. This extra large front storage deck has a removable, fully enclosed ABS box.



CHASSIS	X	LS	E	L	H	v
Tubular Steel Frame						
Dual Drive Winch by Canimex						
Heavy Duty Dolly Jack with Wheel						
Wide Trac Ultralube Spring Axle						
Wide Trac Ultralube Torsion Axle						
Electric Brakes						
Radial Tires						
Spare Tire and Carrier						
Aluminum Rims						
Scissor Style Jacks with Pads (4)						
Goshen Lift System with Double Arms						
EXTERIOR						
"Zero Exposure" Bunk technology						
Laminated Aluminum Skin Walls					4	
Laminated High Gloss Fiberglass Walls						
LED Exterior Lights						
Diamond Plate Front and Rear Wall Protection						
E-Z Swing Stepper Door						
One Piece Screen Door (N/A Express)						
4 Layer Laminated Seamless Fiberglass Roof Prebraced for A/C			П			П
Exterior Wall Mount LP Grill						П
VRX Sectionalized Tent with Storm Cuff						
Laminated Insulated Bed Platforms (N/A LS)						
Glide-n-Lock Cable Supported Bed System						
Above Floor 16 gallon Fresh Water Tank (1906,1706LS and 2107LS only)			П			
23 Gallon Below Floor Fresh Water Tank						
27 Gallon Below Floor Fresh Water Tank					П	

	X	LS	Е	L	Н	V
25 Amp Convertor with Battery Charger (12 Amp 1706LS)						
120 Volt GFI Exterior Recept (N/A 1706LS)						
LED Amber Patio Light (N/A 1706LS)						
"SST" Super Sliding Storage Compartment 2485SST (Optional on V1, V2)						
Removable Exterior Storage Box (12RBST, 12RBSTHW)						
Create-a-Breeze Power Roof Vent						
Tinted Safety Glass Windows						
A & E Awning						
Interior Courtesy Lights						
INTERIOR						
100% Adhesion Residential Grade Linoleum						
Walnut Cabinetry		П				
Mortise and Tenon Residential Cabinet Doors						
Residential Laminated Countertops		П				
Ultra Comfort 4" Heated Mattresses (N/A LS)						
High Density Serta Mattresses						
Ultra Comfot 4" High Density Cushions		П				
Vented Privacy Drapes (N/A LS Models)						
E-Z Swing Galley with Drawer						
Microwave						
Deep Bowl Acrylic Sink						
2 Burner High Output Range		П				
12 Volt On Demand Water Pump						
Built-in Shower (2485SST and V3)						
Thetford Cassette Potti (2485SST and V3)						
DSI 6 Gallon Water Heater (2108ST, 2405ST, 2485SST, 12RBST,12RBSTHW, V1,V2 and V3)			П			
20,000 BTU Furnace						
Three Way Dometic Refer 1.9 cu. Ft.						

	X	LS	E	L	H	V
Dometic Cool Cat Heat Pump						
Skylights with Night Shades						
12 Volt LED Interior Lights						
120 Volt Interior outlets						
2 LED Bunk Fan/Lights						
Retractable Clothes Bar						
Powder Coated Interior Tent Support Poles						
Jensen Bluetooth Stereo						
POPULAR OPTIONS	X	LS	Е	L	H	V
Essentials Package:						
3-Way Dometic Refer 1.9 cu.ft (2.5 cu ft. on Classic and V3) $$						
20,000 BTU Furnace						
A & E Awning						
Spare Tire, Carrier and Cover						
Thetford Modular Cassette Potti with Electric Flush (2108ST, 2405ST and V1)			П			•
Thetford Porta Potti						
Bed End Fan Light (1)						
Screen Room with Privacy Flaps						
'SST" Super Sliding Storage Trunk (V1, V2)						
13.5M Air Conditioner						
40 Watt Zamp Portable Solar Panel						
BO Watt Zamp Portable Solar Panel						
Bathroom Package (2405ST, V2)						
Bolt On Swivel Tongue Jack						
'Jack It" Bike Rack						
Toylok Cargo Security System						
Awning and Skirt Package						
Stor-N-More Underbunk Storage System						
Sportsmen's Package (Exp. 180 only)						

Viking Specifications

	EXP	RESS		LS MODELS			EPIC		LEGEND	CLASSIC H	ARDSIDES	V-TREC		
Model:	EXPRESS 9.0	EXPRESS 180	1706XLS	2107LS	2308LS	1906	2108ST	2405ST	2485SST	V12RBST	V12RBST HW	V1	V2	V3
Interior Box Size	9'	7'6"	8.5′	10'	12'	8.5′	10′	12′	12′	12′	12′	10′	12′	12′
Travel Length	12′11″	12′ 4″	12′8″	14'2"	18′3″	12′8″	16′4″	18′3″	18′5″	20'2"	20.2	16′9″	18′9″	21′4″
Travel Width	79"	60"	85"	85"	85"	85"	85"	85"	85"	88"	88"	85"	85"	85"
Travel Height	50 1/2"	53"	56"	58"	58"	56"	58"	58"	55"	59"	59"	65"	65"	65"
Exterior Open Length	9'	14′5″	17′11″	20'5"	23′5″	17′11″	20′9″	23′5″	23′5″	12′	12′	20′5″	22′5″	23′5″
Interior Open Height	100"	86"	6′10″	6′10″	6′10″	6′10″	6′10″	6′10″	6′10″	95"	95"	6′10″	6′10″	6′10″
Sleeping Capacity	2	2	6	7	8	6	7	8	6	4	4	6	6	6
Front Sleeping Area	54" x 74"	54" x 74"	48" x 80"	58" x 80"	70" x 80"	54" x 80"	58" x 80"	70" x 80"	70" x 80"	N/A	N/A	58" x 80"	70" x 80"	70" x 80"
Rear Sleeping Area	N/A	N/A	48" x 80"	54" x 80"	58" x 80"	48" x 80"	58" x 80"	70" x 80"	70" x 80"	54" x 80"	54" x 80"	58" x 80"	58" x 80"	58" x 80"
Dinette Area	N/A	N/A	38" x 64"	38" x 70"	38" x 64"	38" x 64"	38" x 70"	38" x 70"	41" x 74"	45" x 80"	45" x 80"	38" x 70"	36" x 70"	41" x 74"
"U" Dinette	N/A	N/A	N/A	N/A	42" x 80"	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Lounge Area	N/A	N/A	N/A	80"	N/A	N/A	24" x 70"	N/A	24" x 70"	N/A	N/A	24" x 70"	24" × 70"	24" x 70"
Sofa Bed	N/A	N/A	N/A	N/A	N/A	N/A	34" x 76"	40" x 72"	N/A	N/A	N/A	N/A	N/A	N/A
Radial Tire Size	ST145R12	ST145R12	ST145R12	ST145R12	ST185/80R13	ST145R12	ST185/80R13	ST185/80R13	ST185/80R13	ST185/80R13	ST185/80R13	LT235/75R15	LT235/75R15	LT235/75R15
Tire Load Range	D	D	5 Bolt C	5 Bolt C	5 Bolt D	5 Bolt C	5 Bolt D	5 Bolt C	5 Bolt C	5 Bolt C				
Hitch Weight (lbs./Kg.)	73/33	105/48	116/53	210/95	220/100	116/53	187/85	243/109	282/128	320/145	337/153	252/114	290/132	420/191
Axle Weight (lbs./Kg.)	590/268	717/325	1338/607	1576/715	1962/890	1338/607	1667/756	2083/938	2403/1090	1845/837	1893/859	1981/892	2253/1022	2700/1225
Dry Weight (lbs./Kg.)	663/301	822/373	1503/682	1786/810	2182/990	1503/682	1863/845	2326/1048	2702/1226	2165/982	2230/1011	2233/1013	2577/1169	3065/1390
Cargo Capacity (lbs./Kg.)	610/277	483/219	813/369	514/233	1353/614	813/369	824/374	1120/505	800/363	1453/659	1493/677	1519/689	1213/550	1325/601
GVWR (lbs./Kg.)	1273/577.5	1305/592	2096/951	2300/1043	3535/1603	2096/951	2702/1227	3463/1560	3502/1588	3635/1649	3757/1704	3994/1799	3790/1718	4380/1987
Coupler Size	1-7/8"	1-7/8"	2"	2"	2"	2"	2"	2"	2"	2"	2"	2-5/16"	2-5/16"	2 5/16"

^{*}Weights shown are approximate. †Estimated Average based on standard build optional equipment. All weights shown are in Pounds/Kilograms. See back page for chart definitions.



V-Trec Camping Trailers

Heavy duty construction sets V-Trec by Viking apart from the competition!

5" Tube Frame ■ Reinforced Diamond Plate Front Deck ■ 4000 Lb. Heavy Duty Leaf Spring Axle for Heavy Cargo Capacity



CAMPING TRAILERS

Viking RV

580 West Burr Oak Street ■ P.O. Box 549 Centreville, MI 49032 ■ 269-467-6321

To learn more about Viking RV and our products and see how Viking is making camping easier,

 ${\bf visit\ www.vikingrv.com.}$





Your Viking RV Dealer

Interactive Mobile Manuals

Download our Forest River mobile app or visit our dynamic online manual to enhance your ownership experience. These interactive options provide incredible

ease and insight into use, maintenance

and enjoyment of your Forest River product. Ranging from "How-To" videos, pictures and illustrations of various components, systems and features, to fully searchable content and downloadable PDFs for individual component owner's manuals, answers are always just a click away. View the online manual at www.forestriverinc.com/ownersmanuals, or download our FREE app from the App Store or Google Play!

CYWR (Gross Vehicle Weight Rating) - is the maximum permissible weight of the unit when fully loaded. It includes all weights, inclusive of all fluids, cargo, optional equipment and accessories. For safety and product performance do NOT exceed the GVWR.

GAWR (Gross Axle Weight Rating) - is the maximum permissible weight, including cargo, fluids, optional equipment and accessories that can be safely supported by a combination of all axles.

UVW (Unloaded Vehicle Weight)* - is the typical weight of the unit as manufactured at the factory. It includes all weight at the unit's axle(s) and tongue or pin and LP Gas. The UVW does not include cargo, fresh potable water, additional optional equipment or dealer installed accessories.

*Estimated Average based on standard build optional equipment.

CCC (Cargo Carrying Capacity)** - is the amount of weight available for fresh potable water, cargo, additional optional equipment and accessories. CCC is equal to GWWR minus UVW. Available CCC should accommodate fresh potable water (8.3 lbs per gallon). Before filling the fresh water tank, empty the black and gray tanks to provide for more cargo capacity.

**Estimated average based on standard build optional equipment.

Each Forest River RV is weighed at the manufacturing facility prior to shipping. A label identifying the unloaded vehicle weight of the actual unit and the cargo carrying capacity is applied to every Forest River RV prior to leaving our facilities.

The load capacity of your unit is designated by weight, not by volume, so you cannot necessarily use all available space when loading your unit.

All information contained in this brochure is believed to be accurate at the time of publication. However, during the model year, it may be necessary to make revisions and Forest River, Inc., reserves the right to make all such changes without notice, including prices, colors, materials, equipment and specifications as well as the addition of new models and the discontinuance of models shown in this brochure. Therefore, please consult with your Forest River dealer and confirm the existence of any materials, design or specifications that are material to your purchase decision. ©2017 Viking Recreational Vehicles, a Division of Forest River, Inc., a Berkshire Hathaway company. All Rights Reserved. 5/18

LIMITED WARRANTY

- Lift System Lifetime
- Vinyl Tent 5 Years
- Roll-out System 5 Years
- Roof Assembly 5 Years ■ Roof Exterior – 2 Years
- Dexter* E-Z Lube* Axle 5 Years
- Refrigerator 3 Years
- Plumbing System 10/25 Years
- Electronic Converter 2 Years



PRE-DELIVERY INSPECTION FACILITY

20,000 square feet of quality assurance. The bare essentials for a premium product. This state-of-the-art facility gives immediate daily feedback to production for quality assurance in every unit built.







Learn More

Scan this barcode using
Quality a QR Reader on your
Smart phone to learn
more about Forest River.



A Berkshire Hathaway company.