



by Coachmen

CLIPPER

Clipper's unique, user-friendly cable support system increases leisure time. Set up in ten minutes and head out for adventure!



The easy-to-use dual drive winch and drill bit, combined with your cordless drill, raises or lowers the roof in under 30 seconds. A manual crank is also provided.



The four heavy duty scissor-style stabilizing jacks extend and retract easily using your cordless drill and the provided drill bit.



This exclusive "Glide-N-Lock" cable supported bed system eliminates the need for support poles under the beds. Simply pull out the bed, click and it's locked into place.

CLIPPER



X-Cable technology adds additional stability to the roof and prevents over cranking of the roof.



Clipper's exclusive two-piece tension rafter is another example of how Clipper makes set up easier.

GAEEN

Clipper is Easy



The E-Z Swing Stepper Door with hydraulic assist, operates in seconds and provides the largest, most stable step platform in the industry.



Clipper's one piece entry door has an extra large adjustable privacy panel to let in fresh air and sunlight.



Clipper's exclusive J-Track door latch maximizes stability by eliminating the flimsy nylon turn buttons traditionally used in securing the door to the roof.

More Clipper Exclusive Features



Four Layer Insulated Roof Braced for Air Conditioning.

- 1. One Piece Seamless Fiberglass Skin
- 2. Luan Plywood Underlayment No one else includes the extra wood layer between the top skin and internal foam that provides stiffness and reduces the probability of damage due to hail, road debris, etc.
- **3.** Foam Insulated Roof Structure
- 4. Vinyl Coated Ceiling

Easy to clean and minimizes interior condensation

Roof vent is placed off to the side so the A/C can be center-mounted without having to remove the vent. This design allows you to have both the vent and A/C.

Wide Trac Suspension Better safety and stability on the road.

- Widest stance of any folding camper
- Improves towing safety and stability
- Stronger axle beams than most competitors
- Steel frame with E-coat protection

Roof Side Z-Rail Channels water away.



- A. Water tight Seal
 B. Roof's Outside Skin
 C. Z-Rail channels water away from wood
 D. Body's Outside Skin
- Z-Rails on roof perimeter and sidewalls keep wood above water level collection points.
- Others use U channel where wood and water can come in contact at the bottom of the channel.
- Channels are kept open to allow water to run out like a gutter.
- Others attempt to seal channels to keep water out; when the seal is compromised, water will collect and cannot escape.



Clipper's Super Sliding Storage box enables full, easy accessibility even when the camper is set up. (Standard on Legend, Optional on V1 and V2).



Dexter® E-Z Lube® Axles

Check Out Our Easy Set Up Video Here



4" E-Z Sleep Quilted Mattress



COLD OUTSIDE AIR

Clipper

1-1/4" Laminated Insulated Bunkends

- Two times thicker than others
- Solid wood, steel reinforced frame, with 1" thick high density foam, and laminated wood panels top and bottom
- More stable bed end vs. chipboard or spliced plywood
- Insulation improves comfort and warmth



COLD OUTSIDE AIR

Competitors



Clipper's one-piece, 5/8" floor structure is stronger than the industry's standard 1/2". Automotive undercoating protects from the elements. Congoleum residential grade Diamondflor with 100% adhesion adds beauty and durability indoors.

E-Z Roll, lined privacy drapes

a la la serie

X Cable technology stabilizes the roof and prevents over cranking

1285SST



Retractable clothes bar (Standard on Classic and V-Trec models)




Powerful Fantastic power roof vent moves air like no other.



Jensen AM/FM/Bluetooth stereo with App control includes Interior/Exterior speakers (Standard on Classic and V-Trec models)



Exterior grill (N/A on LS series)



The Goshen Stamping double-wide lifter system offers strength, stability and increased wind resistance. (Limited lifetime warranty)



LED bunk end fan lights



High density

comFort and

durability

Foam enhances



Express Express 8.0Tp (With Deluxe Package) COMPARE COMPAREE COMP

Clipper Camping Trailer Standard Features

CHASSIS	Е	ETD	LS	s	С	v
Tubular Steel Frame						
Dual Drive Winch						
Heavy Duty Dolly Jack with Wheel						
Wide Trac Ultralube Spring Axle						
Wide Trac Ultralube Torsion Axle						
Electric Brakes						
Radial Tires						
Spare Tire & Carrier						
Aluminum Rims						
Scissor Style Jacks with Pads (4)						
Goshen Lift System with Double Arms						
EXTERIOR	E	ETD	LS	S	С	V
"Zero Exposure" Bunk technology						
Laminated Aluminum Skin Walls						
Laminated Fiberglass Walls						
LED Exterior Lights						
Diamond Plate Front and Rear Wall Protection						
E-Z Swing Stepper Door						
One Piece Screen Door (N/A Express)						
4 Layer Laminated Seamless Fiberglass Roof Prebraced for A/C						
Exterior Wall Mount LP Grill						
VRX Sectionalized Tent						
Laminated Insulated Bed Platforms						
Glide-n-Lock Cable Supported Bed System						
Above Floor 16 Gallon Fresh Water Tank (106, 806XLS, 860QS)						
23 Gallon Below Floor Fresh Water Tank						
25 Amp Converter with Battery Charger (12 Amp on 806XLS, 860QS)						
120 Volt GFI Exterior Recept						

EXTERIOR	Е	ETD	LS	s	С	v
Patio Light (N/A 806XLS)						
"SST" Super Sliding Storage Compartment 1285SST (Optional on V1, V2)						
Create a Breeze Power Roof Vent						
Awning						
INTERIOR	E	ETD	LS	S	С	V
Interior Courtesy Lights						
100% Adhesion Residential Grade Linoleum						
Dark Ash Cabinetry						
Residential Laminated Countertops						
Ultra Comfort 4" Heated Mattresses						
Ultra Comfort 4" High Density Cushions						
Vented Privacy Drapes						
E-Z Swing Galley with Drawer						
Deep Bowl Acrylic Sink						
2-Burner High Output Range						
12 Volt On Demand Water Pump						
Built-in Shower (1285SST, V3)						
Thetford Cassette Potti (1285SST, V3)						
DSI 6 Gallon Water Heater (108ST, 125ST, 1285SST, V1, V2, V3)						
20,000 BTU Furnace						
3-Way Dometic Refrigerator 1.9 Cu. Ft.						
Electric Refrigerator 1.6 Cu. Ft.						
12 Volt LED Interior Lights						
120 Volt Interior Outlets						
LED Bunk Fan/Light(s)						
Retractable Clothes Bar						
Powder Coated Interior Tent Support Poles						
Jensen Bluetooth Stereo						


E = Express ETD = Express 9.0TD = LS = LS Series = S = Sport = C = Classic = V = V-Trec


POPULAR OPTIONS	Е	ETD	LS	s	С	v
Essentials Package: 3-Way Dometic Refrigerator 1.9 Cu. Ft. (2.5 Cu ft. on Legend, V3), 20,000 BTU Furnace, Awning, Spare Tire, Carrier and Cover						
Deluxe Package (9.0TD): (12 Amp Converter, 7 Way Pigtail, 20,000 BTU Furnace, 5,000 BTU A/C, AM/FM Bluetooth Stereo with Speakers, 1.2 Cu. Ft. 110 Volt Refrigerator)						
Thetford Modular Cassette Potti with Electric Flush (108ST, 125ST, V1)						
Thetford Porta Potti						
Screen Room with Privacy Flaps						
SST Super Sliding Storage Trunk (V1, V2)						
13,500 BTU Air Conditioner						
40 Watt Zamp Portable Solar Panel						
80 Watt Zamp Portable Solar Panel						
Bathroom Package (125ST, V2)						
Bolt On Swivel Tongue Jack						
"Jack It" Bike Rack						
Toylok Cargo Security System						
Stor-N-More Under Bunk Storage System						





CLIPPER SPORT





OPT. BATHROOM PACKAGE


.___.


CLIPPER CLASSIC



CLIPPER V-TREC









Clipper Camping Trailer Specifications

	Exp	Express LS Model Sport			Classic V-Trec								
	EXPRESS 9.0	EXPRESS 9.0TD	806XLS	860QS	107LS	128LS	106	108ST	125ST	1285SST	V1	V2	V3
Interior Box Size:	9'	9'	8.5'	8.5'	10'	12'	8.5'	10'	12'	12'	10'	12	12'
Travel Length:	13'	13'	12'8''	12'8''	14'2''	18'3"	12'8"	16'4''	18'3''	18'5"	17'2''	18'3''	21'8''
Travel Width:	79"	79"	85"	85"	85"	85"	85"	85"	85"	85"	85"	85"	85"
Travel Height:	50 1/2"	71"	56"	56"	58"	58"	56"	58"	58"	55"	65"	65"	65"
Exterior Open Length:	9'	9'	17'11''	13'6"	20'5''	23'5"	17'11''	20'9''	23'5"	23'5"	20'5''	22'5"	23'5"
Interior Open Height:	100"	86"	6'10''	6'10''	6'10''	6'10''	6'10''	6'10''	6'10''	6'10''	6'10''	6'10''	6'10''
Sleeping Capacity:	2	2	6	4	7	8	6	7	8	6	6	6	6
Front Sleeping Area:	54x74	54x74	48x80	58x80	58x80	70x80	54x80	58x80	70x80	70x80	58x80	70x80	70x80
Rear Sleeping Area:	N/A	N/A	48x80	N/A	54x80	58x80	48x80	58x80	70x80	70x80	58x80	58x80	58x80
Dinette Area:	N/A	N/A	38x64	N/A	38x70	38x64	38x64	38x70	38x70	41x74	38x70	36x70	41x74
"U" Dinette	N/A	N/A	N/A	38x102	N/A	42x80	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Lounge Area:	N/A	N/A	N/A	N/A	80"	N/A	N/A	24x70	N/A	24x70	24x70	24x70	24x70
Sofa Bed:	N/A	N/A	N/A	N/A	N/A	N/A	N/A	34x76	40x72	N/A	N/A	N/A	N/A
Radial Tire Size:	ST145R12	ST185R13	ST145R12	ST145R12	ST145R12	ST185/80R13	ST145R12	ST185/80R13	ST185/80R13	ST185/80R13	ST235/75R15	ST235/75R15	ST235/75R15
Tire Load Range:	D	D	5 Bolt C	5 Bolt C	5 Bolt C	5 Bolt D	5 Bolt C	5 Bolt D	5 Bolt D	5 Bolt D	5 Bolt C	5 Bolt C	5 Bolt C
Hitch Weight (lbs.):	77	122	167	203	208	220	174	187	241	296	274	290	427
Axle Weight(lbs.):	590	958	1338	1355	1576	1962	1338	1667	2083	2403	2120	2291	2790
U.V.W. (lbs.):	761	1080	1642	1577	1801	2182	1727	1863	2396	2840	2394	2581	3217
Cargo Capacity (lbs.):	516	1042	1255	1365	1137	1353	1177	824	845	456	1380	1209	1210
GVWR (lbs.):	1277	2122	2897	2942	2938	3535	2904	2702	3241	3292	3774	3790	4427
Coupler Size:	2"	2"	2"	2"	2"	2"	2"	2"	2"	2"	2 5/16"	2 5/16"	2 5/16"

*Weights shown are approximate. tEstimated Average based on standard build optional equipment. All weights shown are in Pounds. See back page for chart definitions.

CLIPPIN .



LS

CLIPPER

V-Trec

SEATING W/STORAGE

AGE

٩()

STOR

🖾 60" CARGO DECK 🗁

KING SIZE 1-1/4" INSULATED BUNK

VЗ

SEATING W/STORAGE

()

GAUCHO

QUEEN SIZE 1-1/4" INSULATED BUNK

REFER

DINETTE TABLE

STORAGE



WWW.COACHMEN.COM

- 5" Tube Frame
- Reinforced Diamond Plate Front Deck
- 4000 Lb. Heavy Duty Torsion Axle for Heavy Cargo Capacity

LIMITED WARRANTY

- Lift System Lifetime
- Vinyl Tent 5 Years
- Roll-out System 5 Years Roof Assembly - 5 Years
- Roof Exterior 2 Years
- Dexter[®] E-Z Lube[®] Axle 5 Years Refrigerator – 3 Years Plumbing System - 10/25 Years Electronic Converter – 2 Years

Off-road Camping Trailers

Heavy duty construction sets V-Trec by Clipper apart from the competition!



Clipper RV

580 West Burr Oak Street P.O. Box 549 Centreville. MI 49032 269-467-6321 To learn more about Coachmen RV and our products and see how Coachmen is making the easy life easier, visit www.coachmenrv.com or call 1.800.353.7383.



earn More Scan this barcode using a QR Reader on your smart phone to learn more about Forest River.



Your Clipper RV Dealer



Ranging from "How-To" videos, pictures and illustrations of various

of your Coachmen product.

into use, maintenance and enjoyment

components, systems and features to fully searchable content and downloadable PDFs for individual component owner's manuals, answers are always just a click away.

GVWR (Gross Vehicle Weight Rating) - is the maximum permissible weight of the unit when fully loaded. It includes all weights, inclusive of all fluids, cargo, optional equipment and accessories. For safety and product performance do NOT exceed the GVWR.

GAWR (Gross Axle Weight Rating) - is the maximum permissible weight, including cargo, fluids, optional equipment and accessories that can be safely supported by a combination of all axles. UVW (Unloaded Vehicle Weight)* - is the typical weight of the unit as manufactured at the factory. It includes all weight at the unit's axle(s) and tongue or pin and LP Gas. The UVW does not include cargo, fresh potable water, additional optional equipment or dealer installed accessories. *Estimated Average based on standard build optional equipment.

CCC (Cargo Carrying Capacity)** - is the amount of weight available for fresh potable water, cargo, additional optional equipment and accessories. CCC is equal to GVWR minus UVW. Available CCC should accommodate fresh potable water (8.3 lbs per gallon). Before filling the fresh water tank, empty the black and gray tanks to provide for more cargo capacity.

**Estimated average based on standard build optional equipment.

Each Forest River RV is weighed at the manufacturing facility prior to shipping. A label identifying the unloaded vehicle weight of the actual unit and the cargo carrying capacity is applied to every Forest River RV prior to leaving our facilities. The load capacity of your unit is designated by weight, not by volume, so you cannot necessarily use all available space when loading your unit.



All information contained in this brochure is believed to be accurate at the time of publication. However, during the model year, it may be necessary to make revisions and Forest River, Inc., reserves the right to make all such changes without notice, including prices, colors, materials, equipment and specifications as well as the addition of new models and the discontinuance of models shown in this brochure. Therefore, please consult with your Forest River dealer and confirm the existence of any materials, design or specifications that are material to your purchase decision. ©2019 Clipper by Coachmen, a Division of Forest River, Inc., a Berkshire Hathaway company. All Rights Reserved. 2/19



PRE-DELIVERY INSPECTION FACILITY

20,000 square feet of quality assurance. The bare essentials for a premium product. This state-of-the-art facility gives immediate daily feedback to production for quality assurance in every unit built.





Facebook

CUSTOMER SATISFACTION